
# Match tall storage unit

Stock Code: 81610115 - 81610114 - 81610113

Thank you for purchasing this Match tall storage unit. Please read the instructions carefully before use to ensure safe and satisfactory operation of this product.



#### PRE-ASSEMBLY PREPARATION

Please ensure instructions are read in full before attempting to assemble this product.



Please check the pack contents before attempting to assemble this product. A full checklist of components is given in this leaflet. If any components are missing, please contact the John Lewis Helpline.

This product is HEAVY, it should be assembled as near as possible to the point of use. **TAKE CARE WHEN LIFTING** to avoid personal injury and (or) damage to the product.

This product takes approximately **60 MINUTES** to assemble with **2 PEOPLE**.


The fittings pack contains SMALL ITEMS which should be KEPT AWAY FROM YOUNG CHILDREN.

Read this leaflet in full before commencing assembly.


If you are missing some fittings please contact our spare parts helpline on 0330 005 9435. Opening hours are 9am - 5pm Monday to Friday.

Page I

## **Fittings checklist**




## Parts checklist




## Step One

1. Attach 4x metal dowels (A) into the pre-drilled holes on top/bottom panels (1) as shown. Use a screwdriver to turn fitting (A) clockwise to fix.




## Step Two

1. Attach 4x wedgefix housing (D) into the pre-drilled holes on shelves(3) as shown.




## Step Three

- 1. Place 8x cam lock (B) into the holes on side panels (2) as shown, arrow pointing towards the bolt.
- 2. Attach 8x wooden dowels (C) into the pre-drilled holes on side panels (2) as shown.
- 3. Attach 20x shelf support (D) into the holes on side panels (2) as shown.




## Step Four

- 1. Attach side panels (2) to top/bottom panels (1) as shown. Ensure metal dowels (A) and wooden dowels (C) are aligned correctly with the holes of matching parts before attaching.
- 2. Secure side panels (2) to top/bottom panels (1) using a screwdriver to turn fitting (B) clockwise to fix.




## Step Five

1. Position back panel (4) as shown, back panel holes indicate upper part.




## Step Six

1. Attach back panel (4) onto back side of the unit using 30x nails (F), with the help of the nail guide (G).




## Step Seven

1. Attach 4x support foot (L) to bottom with 8x screw(M).




## Step Eight

1. With help of an assistant, carefully stand up the unit upright.



## Step Nine


1. Use 2x levelling wedge (GI) to level the unit.



## Step Ten

Fittings have been supplied in order to join units together.

- 1. Place units together in their final positon.
- 2. Decide position where to drill through using a Ø5 mm bit.
- 3. Push the Connector (H) into the hole and then screw Bolt (I) in from the other side, tighten with a screwdriver.



### Step Eleven


To prevent possible overbalancing we recommend that this unit is secured to a suitable wall by use of two 'L' Brackets (P) fitted to the top side of the unit.

- 1. Attach the 2x brackets (P) onto the top side of the unit using 4x euroscrew (O).
- 2. Pre-fix brackets (P) to wall, Wall plug and screw not included.
- 3,4. Adjust position using (P1), then fix it.
- 5 Insert cap (P2)

#### ! IMPORTANT!


Take care when drilling the wall that you do not drill into any pipes, wires etc. If in doubt, consult an expert.


Wall plug and screw not included. See wall fixing guide at page 11.



## Step Twelve


1. Position the shelves (3) on the shelf support (E) as shown.






Page 10

### Wall fixing - if in doubt seek professional advice




Wood

If fixing to wood
make sure that it
is not chipboard as
screws can easily
pull away from the
core structure



Brick or Masonry Use an appropriate wall plug provided you are sure your wall is sound.



Cavity wall Special toggle wall plugs are needed. Seek expert advice.

#### **Care and Maintenance**

This product has been manufactured using modern manufacturing methods and materials.

To keep your product, looking at its best, we strongly recommend either dusting with a soft cloth, or the use of a damp (not wet) cloth and water containing no more than a 5% soap solution. Dry with a soft clean cloth.

Aggressive chemicals, such as wax furniture polish, abrasive cleaners, bleach or hypochlorate (chlorine) based cleaners, multi purpose cleaners, dilutes, acetone, alcohol and solvent based liquid product should NOT be used, as may result in damage.

#### **Safety Instructions**

Never drag furniture when moving it, always lift it.

Periodically check all fixings to ensure none have come loose and re-tighten when necessary.

Please take care when handling or moving the furniture as careless handling may cause damage or injury.

Furniture can be dangerous if incorrectly installed. Assembly should be carried out by a competent person. No liability will be accepted for damage or injury caused by incorrectly installed or assembled furniture.

It is recommended that before moving a heavy object to a new location it is completely dis-assembled to avoid personal injury or damage to the furniture. Please be careful to retain all fittings when doing this.

This product is designed to be fixed securely to a sound wall in the manner stated. It must under no circumstances be used free-standing. No liability will be accepted for damage or injury caused by inadequate fixing or use without fixing.

#### PLEASE KEEPTHESE INSTRUCTIONS FOR FUTURE REFERENCE

John Lewis Partnership 171 Victoria Street London SWIE 5NN www.johnlewis.com