



WALL MIRRORS

USER GUIDE



DECO MIRROR MEDIUM
84910240

DECO MIRROR LARGE
84911021


Getting started

Please ensure instructions are read in full before attempting to install this product.

Please check the pack content before attempting to install this product. A full checklist of components is given in this leaflet. If any components are missing please contact John Lewis & Partners.


Read this leaflet in full before commencing installation.

Pack content




Flat head screwdriver
required


x2 Hanging screws
x1 Mirror





Instructions & warnings for safe use


 Please read the instructions and warnings carefully to ensure a long life for your product and safe usage. This instruction leaflet must be retained with the product for future reference. These warnings have been provided in the interest of safety. You **MUST** read them carefully before using the appliance. If you give the product to another person, please give them this manual as well.


 Handle with care.


 Wear suitable eye protection when drilling. Take care when using power tools near water - the use of a residual current device (RCD) is advised.


 Beware of hidden cables or pipes. Take care if drilling on tiled surfaces in case the drill slips. A piece of masking tape applied to the wall before marking out the fixing holes will stop the drill from wandering.

 **DO NOT** strike glass components with hard or pointed items, or use the glass as a chopping surface.

 **DO NOT** place very hot or very cold items against or in close proximity to glass surfaces unless an adequately thick insulation material is used to prevent such items coming in contact with the glass.

 **DO NOT** sit or stand on glass surfaces.

 If the glass is chipped or broken, stop using the product.

 Always supervise young children around glass products.



The nominal thickness of the mirror glass used in this product varies from 4mm and is film backed for safety.



This product could be dangerous and is only to be installed by a competent person.

Guide to wall mounting & fixings


WARNING! - Different wall materials require different types of screws / fixings. Please ensure you use the correct screws / fixings for your type of walls and seek professional advice if you are not sure. Failure of the product due to incorrect fixings is the responsibility of the installer.

IMPORTANT - When drilling into the walls always check that there are no hidden wires or pipes etc. Take care when drilling on glazed tile surfaces in case the drill slips. A piece of masking tape applied to the wall before marking out the fixing holes will stop the drill from wandering.

REVIEW - Please read the fixing method guide located on the back page and on the back of the mirror.

Installation

1. Carefully measure the distance between the center of the hanging brackets on the back of the mirror. See image 1.
2. Mark the desired hanging position of the mirror on the wall using a spirit level and soft pencil from the measurements in Step.1. See image 2.
3. **Before drilling, ensure there are no hidden cables or pipes behind the mounting points.** Drill the required holes in the marked positions. See image 2. If drilling through tile, use a ceramic drill bit. Insert wall plugs level with the surface of the wall. If fitting to a tiled surface, wall plugs should be inserted below the tile surface to avoid cracking. NB. For plasterboard walls, specialist fixings should be purchased, available from any DIY or hardware store.
4. Hang mirror to complete installation. Check mirror level using a spirit level. See image 3.




Fixing methods

You can use one of the following types of wall plug if your walls are made of brick, breezeblock, concrete, stone or wood.




General Purpose wall plug

Generally aerated blocks should not be used to support heavy loads, use a specialist fitting in this case. For light loads, general – purpose wall plugs can be used.




Plasterboard wall plug

For use when attaching light loads on to plasterboard partitions.




Cavity Fixing - wall plug

For use with plasterboard partitions or hollow wooden doors.




Cavity Fixing - Heavy Duty wall plug

For use when fitting or supporting heavy loads such as shelving, wall cabinets and coat racks.



Hammer Fixing wall plug

For use with walls stuck with plasterboard. The hammer fixing allows it to be fixed to the wall rather than the plasterboard. Always check the fixing is secure to the retaining wall.



Shield Anchor wall plug - Heavy loads

For use with heavier loads such as TV and Hi-Fi speakers and satellite dishes etc.

Care instructions & aftercare service

Do not use abrasive cleaning agents, as these may scratch the glass.

Wipe off all water spillages as soon as possible using a soft cloth. Clean glass with a damp cloth, use only water/glass cleaner, wipe dry with a clean cloth.

In the unlikely event that the product fails, please contact customer services.

Guarantee

This item is guaranteed for 5 years in respect of defects found to be due to faulty workmanship or materials. Proof of purchase is required for the validity of the guarantee. This guarantee is no longer valid in the case of accidental damage, alteration, repair by any unauthorised persons or poor maintenance. This guarantee in no way affects your statutory rights. This guarantee is only valid if the item has been used solely for domestic purposes. Please retain these instructions for future use.

Technical support

John Lewis & Partners Technical Support on 03301 230106