Product Information Sheet (EU Regulation 2019/2013)						
	Parameter	Parameter		Value	and Precision	Unit
1	Supplier's name or trade mark		Panasonic Corporation		poration	
	Supplier's address		Panasonic Testing Centre Panasonic Marketing Europe GmbH Winsbergring 15, 22525 Hamburg, Germany		ing Centre g Europe GmbH	
2	el identifier		TX-43MX600B		500B	
3	y efficiency class for Standard Dynamic Range (SDR)		F			
4	ode power demand for Standard Dynamic Range (SDR)		51.0			W
5	zy efficiency class (HDR)		G			
6	ode power demand in High Dynamic Range (HDR) mode, if implemented		108			W
	ode, power demand, if applicable		0.3			w
	by mode power demand, if applicable		0.5			W
9 10	Networked Standby mode power demand, if applicable	Standby mode power demand, if applicable Television		2.0		W
		Monitor				
	Electronic display category	Signage				
		Other				
11	Size ratio		16	:	9	integer
	Screen resolution (pixels)		3840	x	2160	pixels
	Screen diagonal			108.0		cm
14	Screen diagonal		1	43		inches
	Visible screen area		49.8			dm ²
	Panel technology used		DIRECT LED		FD	um
17		YES	Sincer LED			
1/	Automatic Brightness Control (ABC) available	NO				
18	Voice recoganition sensor available	YES				
10	vuice recognition sensor available	NO				
19	Room presence sensor available	YES NO				
20	Image refresh frequency rate (default)		50			Hz
21	Minimum guaranteed availability of software and firmware updates (from the date of end of the placement on the market)	8			Year	
22	Minimum guaranteed availability of spare parts (from the date of end of the placement on the market)	7			Year	
23	imum guaranteed product support		7			Year
	Minimum duration of the general guarantee offered by the supplier		1			Year
24		Internal				
	Power supply type	External				
		Standardised external				
25	ernal power supply (non standardized and included in the product box)					
i						
ii		Input Voltage				v
		Output Voltage				v
26	External standardised power supply (or suitable one if not included in the product box)					
i		Standard Name or list				
ii		Required output voltage				v
		Required delivered current				А
iv		Required current frequency				Hz