

Type	Technical Code	Commercial Code	Code
Hoods	K61BMLIX_50	KIN52MOD1XC	F003458
<b>General Information</b>			
State	Released	Life Cycle	Y2 - On Management
Product family	HOODS BI	Aesthetical line	MODERN
Brand	BERTAZZONI	Private Label	BERTAZZONI
Make or Buy Flag	Bought	Type of production	CBU
Type of installation	BUILT IN	Factory	Guastalla
Technical code	K61BMLIX_50	Predecessor Code	
Commercial description	52 cm Built-in Hood, 1 motor		
Short Description IT	52 cm cappa sottopensile	Short Description FR	52cm Hotte Intégrée, 1 moteur
Short Description EN	52 cm built-in hood, 1 motor	Short Description US	52 cm Built-in Hood, 1 motor
EAN Required	YES	Ean code	8054309282072
Commercial code	KIN52MOD1XC	Second commercial code	
Market	EUROPE	Customer	GENERIC0
Years of warranty		Approvals	CE
Notes		Changes notes	
<b>Energy Label</b>			
Energy Label Required	YES	Annual energy consumption - AEChood (kWh/annum)	95.0
Fluid dynamic efficiency class	C	Fluid dynamic efficiency	19.4
Energy efficiency class	C		
Measured air pressure at best efficiency point - P <sub>best</sub> (Pa)	372	Minimum air flow in normal use (m <sup>3</sup> /h)	300.0
Maximum air flow in normal use (Intensive / Boost Excluded) (m <sup>3</sup> /h)	590	Air flow at Intensive/Boost Setting - (m <sup>3</sup> /h)	600.0
Lighting efficiency class	A	Light efficiency	55
Power consumption in standby mode - P <sub>s</sub> (W)	0	Power consumption off Mode - P <sub>o</sub> (W)	0.49
Grease filtering efficiency - GFEhood (%)	65.1	Grease filtering efficiency class	D
Energy Label Country	UE + UK		
<b>Technical Data</b>			
Supply voltage [V]/Supply frequency [Hz]	220-240 V, 50/60 HZ	Absorbed power [W]	254
Absorbed current [A]	NO	Plug type	NO
Minimum Cable length (m)	1.5	Minimum Cable length (in)	59"
Output air extraction (m <sup>3</sup> /h)	660		
Max extraction power (CFM)	389	Max extraction power (SONES)	
Sound level maximum speed (dba)	69	Sound level maximum speed (Sones)	
Sound level maximum speed/Boost (dba)	71	Sound level maximum speed/Booster (Sones)	
Sound level minimum speed (dba)	54	Sound level minimum speed (Sones)	
Microwave magnetron power	NO	Grill max power (W)	NO
Suction type	SUCTION AND FILTER		
<b>Dimensions &amp; Weights</b>			
Size	52		
Height PF (mm)	330	Height PF (in)	
Width PF (mm)	520	Width PF (in)	
Depth PF (mm)	300	Depth PF (in)	
Depth with handle (mm)	NO	Depth with handle (in)	
Depth with open door (mm)	NO	Depth with open door (in)	
Built-in hole height (mm)	330	Built-in hole height (in)	
Built-in hole width (mm)	495	Built-in hole width (in)	
Built-in hole depth (mm)	260	Built-in hole depth (in)	
Chimney height (mm)	NO	Chimney height (in)	
Package type	WOOD PALLET		
Package height (mm)	425	Package height (in)	
Package width (mm)	695	Package width (in)	
Package depth (mm)	365	Package depth (in)	
Hood distance from worktop (mm)	530	Hood distance from worktop (in)	
Net weight (kg)	7.5	Gross weight (Lb)	0.0
Gross weight (kg)	9.0	Net weight (Lb)	
<b>Aesthetics</b>			
Badge	SERIGRAPHY	Location of fascia	FRONT
Handle type	NO	Knob type	NO
<b>User Interface</b>			
Type of control device	ELECTRONIC WITH BUTTONS		
Grill power levels	NO	Microwave number of power levels	NO
<b>General characteristics</b>			
Hood version	BUILT-IN	Duct cover	NOT INCLUDED
Duct size diameter (in)		Max height of installation (ft)	
Motor	1	Speed	3 + BOOSTER
Filter type	ALUMINUM	Filter cleaning	WASHABLE
Type and number of lights	2 LED		
Filters number	1	Hood Special features	
Perimetal aspiration	YES	Digital airflow control	NO
<b>Microwave</b>			
Microwave type	NO	Microwave functions	NO
Microwave special features	NO	Turntable	NO
Cavity material	NO	Light	NO
Guides type	NO		
Gross volume	0	Net volume	0
Microwave grill tray	NO	Microwave gasket	NO
<b>Safety Devices</b>			
Locked controls	NO	Saturation alarm	YES
<b>Documentation</b>			
Booklet languages	DUTCH-ENGLISH-FRENCH-GERMAN-ITALIAN-SPANISH	Warranty certificate	NO
<b>Miscellaneous</b>			
Marketing remarks			