

Type	Technical Code	Commercial Code	Code
Hoods	KA1BNLF2NE.50	KT100P1NEV	F005451
General Information			
Stato	IW SIP	Life Cycle	Y2 - On Management
Product family	HOODS WALLMOUNT 60-120 CM	Aesthetical line	NEUTRAL
Brand	BERTAZZONI	Private label	BERTAZZONI
Make or Buy Flag	Bought	Type of production	CBU
Type of installation	FREE STANDING	Factory	Guastalla
Technical code	KA1BNLF2NE.50	Predecessor Code	KA1BNLF2XE.50
Commercial description	100cm Wallmount Hood XV	Short Description FR	100cm Hotte Murale XV
Short Description IT	100cm Cappa a Parete XV	Short Description US	100cm Wallmount Hood XV
Short Description EN	100cm Wallmount Hood XV	Ean code	809930488976
EAN Required	YES	Second commercial code	
Commercial code	KT100P1NEV	Customer	GENERICO
Market	EUROPE	Approvals	CE
Years of warranty		Changes notes	
Notes			
Energy Label			
Energy Label Required	YES	Annual energy consumption - AEChood (kWh/annum)	73.1
Fluid dynamic efficiency class	B	Fluid dynamic efficiency	25.6
Energy efficiency class	B	Minimum air flow in normal use (m³/h)	290.0
Measured air pressure at best efficiency point - Pbeq (Pa)	395	Air flow at Intensive/Boost Setting - (m³/h)	590.0
Maximum air flow in normal use (Intensive / Boost Excluded) (m³/h)	710	Light efficiency	109
Lighting efficiency class	A	Power consumption off Mode - P _{off} (W)	0.49
Power consumption in standby mode - P _s (W)	0	Grease filtering efficiency class	C
Grease filtering efficiency - GFhood (%)	75.1	Energy Label Country	UE + UK
Energy Label Country	UE + UK	Technical Data	
Supply voltage [V]/Supply frequency [Hz]	220-240 V, 50/60 HZ	Absorbed power [W]	272
Absorbed current [A]	0	Plug type	NO
Minimum Cable length (m)	1.5	Minimum Cable length (in)	59"
Output air extraction (m³/h)	710	Max extraction power (SONES)	
Max extraction power (CFM)	NON APPLICABLE	Sound level maximum speed (Sones)	
Sound level maximum speed (dbA)	65	Sound level maximum speed/Booster (Sones)	
Sound level maximum speed/Boost (dbA)	69	Sound level minimum speed (Sones)	
Sound level minimum speed (dbA)	50	Grill max power (W)	NO
Microwave magnetron power	NO	Dimensions & Weights	
Suction type	SUCTION AND FILTER	Size	
Size			
Height PF (mm)	100	Height PF (in)	31 3/32
Width PF (mm)	790	Width PF (in)	315/16
Depth PF (mm)	998	Depth PF (in)	17 23/32
Depth with handle (mm)	450	Depth with handle (in)	0
Depth with open door (mm)	0	Depth with open door (in)	0
Built-in hole height (mm)	0	Built-in hole height (in)	0
Built-in hole width (mm)	0	Built-in hole width (in)	0
Built-in hole depth (mm)	0	Built-in hole depth (in)	0
Chimney height (mm)	730-1000	Chimney height (in)	28 3/4 - 39 3/8
Package type	WOOD PALLET	Package height (in)	
Package height (mm)	1272	Package width (in)	
Package width (mm)	415	Package depth (in)	
Package depth (mm)	603	Hood distance from worktop (in)	19 11/16 - 25 19/32
Hood distance from worktop (mm)	500-650	Gross weight (lb)	0.0
Net weight (Kg)	18.9	Net weight (lb)	
Gross weight (Kg)	22.0	Aesthetics	
Badge	SERIGRAPHY	Location of fascia	FRONT
Handle type	NO	Knob type	NO
User Interface			
Type of control device	ELECTRIC WITH LED	Microwave number of power levels	NO
Grill power levels	NO	General Characteristics	
Hood version	WALL MOUNT	Duct cover	INCLUDED
Duct size diameter (in)		Max height of installation (ft)	
Motor	1	Speed	3 + BOOSTER
Filter type	STAINLESS STEEL	Filter cleaning	WASHABLE
Type and number of lights	2 LED	Hood Special features	
Filters number	3	Digital airflow control	NO
Permittal aspiration	NO	Microwave	
Microwave type	NO	Microwave functions	NO
Microwave special features	NO	Turrtable	NO
Cavity material	NO	Light	NO
Guides type	NO	Net volume	0
Gross volume	0	Microwave gasket	NO
Microwave grill tray	NO	Safety Devices	
Locked controls	NO	Saturation alarm	NO
Documentation			
Booklet languages	DANISH;DUTCH;ENGLISH;FINNISH;FRENCH;GERMAN;ITALIAN;NORWEGIAN;POLISH;SPANISH;SWEDISH	Warranty certificate	NO
Miscellaneous			
Marketing remarks			