

Type	Technical Code	Commercial Code	Code		
Hoods	K91BNLFZXE800	KV90PROXT	F005135		
General information					
Stato	UnderReview	Life Cycle	Y2 - On Management		
Product family	HOODS WALLMOUNT 60-120 CM	Aesthetical line	PROFESSIONAL	Colour leading code	STAINLESS STEEL
Brand	BERTAZZONI	Private Label	BERTAZZONI		
Make or Buy Flag	Bought	Type of production	CBU		
Type of installation	FREE STANDING	Factory	Guastalla	Technical code of derivation	
Technical code	K91BNLFZXE800	Predecessor Code			
Commercial description	90cm Angled Wallmounted Hood	Short Description FR	Hotte Murale d'Angle 90cm		
Short Description IT	90 cm cappa a parete	Short Description US	90cm Angled Wallmounted Hood		
Short Description EN	90 cm wallmount hood	Ean code	8059304886737		
EAN Required	YES	Second commercial code			
Commercial code	KV90PROXT	Customer	GENERICCO	Approval code	
Market	EUROPE	Approvals	CE		
Years of warranty		Changes notes			
Notes					
Energy Label					
Energy Label Required	YES	Annual energy consumption - AEEhood (kWh/annum)	48.0		
Fluid dynamic efficiency class	A	Fluid dynamic efficiency	31.3		
Energy efficiency class	A	Minimum air flow in normal use (m³/h)	322.0		
Measured air pressure at best efficiency point - P _{bep} (Pa)	389	Air flow at Intensive/Boost Setting - (m³/h)	740.0		
Maximum air flow in normal use (Intensive / Boost Excluded) (m³/h)	603	Light efficiency	12		
Lighting efficiency class	E	Power consumption off Mode - P _o (W)			
Power consumption in standby mode - P _s (W)	0.49	Grease filtering efficiency class	G		
Grease filtering efficiency - GFEhood (%)	32.5				
Energy Label Country	UE + UK				
Technical Data					
Supply voltage [V]/Supply frequency [Hz]	220-240 V, 50/60 HZ	Absorbed power [W]	255		
Absorbed current [A]	1	Plug type	NO		
Minimum Cable length (m)	1.3	Minimum Cable length (in)	51"		
Output air extraction (m³/h)	740	Max extraction power (SONES)			
Max extraction power (CFM)	NON APPLICABLE	Sound level maximum speed (Sones)			
Sound level maximum speed (dba)	61	Sound level maximum speed/Booster (Sones)			
Sound level maximum speed/Boost (dba)	66	Sound level minimum speed (Sones)			
Sound level minimum speed (dba)	47	Grill max power (W)	NO		
Microwave magnetron power	NO				
Suction type	SUCTION AND FILTER				
Dimensions & Weights					
Size	90	Height PF (in)			
Height PF (mm)	280	Width PF (in)			
Width PF (mm)	698	Depth PF (in)			
Depth PF (mm)	500	Depth with handle (in)			
Depth with handle (mm)		Depth with open door (in)			
Depth with open door (mm)		Built-in hole height (in)			
Built-in hole height (mm)		Built-in hole width (in)			
Built-in hole width (mm)		Built-in hole depth (in)			
Built-in hole depth (mm)		Chimney height (in)			
Chimney height (mm)	550-860				
Package type	STANDARD PACKING	Package height (in)			
Package height (mm)	630	Package width (in)			
Package width (mm)	980	Package depth (in)			
Package depth (mm)	470	Hood distance from worktop (in)			
Hood distance from worktop (mm)	650	Gross weight (Lb)	0.0		
Net weight (Kg)	22	Net weight (Lb)			
Gross weight (Kg)	33.0				
Aesthetics					
Badge	SERIGRAPHY	Location of fascia	FRONT		
Handle type	NO	Knob type	NO		
User interface					
Type of control device	ELECTRIC WITH LED	Microwave number of power levels	NO		
Grill power levels	NO				
Product characteristics					
Hood version	WALL MOUNT	Duct cover	INCLUDED		
Duct size diameter (in)		Max height of installation (ft)			
Motor	1	Speed	3 + BOOSTER		
Filter type	BAFFLE STAINLESS STEEL	Filter cleaning	WASHABLE		
Type and number of lights	LED BAR	Hood Special features	24H FUNCTION;TIMER		
Filters number	3	Digital airflow control	NO		
Perimental aspiration	NO				
Microwave					
Microwave type	NO	Microwave functions	NO		
Microwave special features	NO	Turntable	NO		
Cavity material	NO	Light	NO		
Guides type	NO	Net volume	0		
Gross volume	0	Microwave gasket	NO		
Microwave grill tray	NO				
Safety Devices					
Locked controls	NO	Saturation alarm	YES		
Documentation					
Booklet languages	DANISH;DUTCH;ENGLISH;FRENCH;ITALIAN;SPANISH;SWEDISH	Warranty certificate	NO		
Miscellaneous					
Marketing remarks					