Product information sheet

Supplier's name or trade mark:	John Lewis
Supplier's address:	Electrolux Appliances AB, Addington Way, Luton, Bedfordshire, LU4 9QQ, UK
Model identifier:	JLWD7062

General product parameters					
Parameter	Value		Parameter	Value	
Rated capacity (kg)	Rated capacity ⁽¹⁾	6.0	Dimensions in cm:	Height	85
	Rated washing capacity ⁽²⁾	10.0		Width	60
				Depth	66
Energy Efficiency Index	EEI _W ⁽²⁾	51.8	Energy efficiency class	EEI _W ⁽²⁾	А
energy enriciency index	EEI _{WD} ⁽¹⁾	66.8		EEI _{WD} ⁽¹⁾	D
Maching officionay indov	I _W (2)	1.031	Pincing offsetiveness (g/kg)	I _R ⁽²⁾	4.9
Washing efficiency index	J _W ⁽¹⁾	1.031	Rinsing effectiveness (g/kg)	J _R ⁽¹⁾	4.9
Energy consumption in kWh per cycle, for the washing cycle of the household washer-dryer, using the eco 40-60 programme. Actual energy consumption will depend on how the appliance is used.	Rated capacity	0.900	Energy consumption in kWh per cycle, for the wash and dry cycle of the household washer-dryer. Actual energy consumption will depend on how the appliance is used.	Rated capacity	3.795
	Half	0.605		Half	1.980
	Quarter	0.200		Quarter	1.980
Water consumption in litres per cycle, based on the eco 40-60 programme. Actual water consumption will depend on how the appliance is used and on the hardness of the water.	Rated capacity	61	Water consumption in litre per cycle, for the wash and dry cycle of the household washer- dryer. Actual water consumption will depend on how the appliance is used and on the hardness of the water.	Rated capacity	87
	Half	47		Half	58
	Quarter	38		Quarter	58
Maximum temperature inside the treated textile (°C) for the washing cycle of the household washer- dryer, using the eco 40-60 programme	Rated capacity	37	Maximum temperature inside the treated textile (°C) for the washing cycle of the household washer-dryer, using the wash and dry cycle	Rated capacity	27
	Half	33			
	Quarter	23		Half	25
Spin speed (rpm) ⁽²⁾	Rated washing capacity	1551	Weighted remaining moisture content (%) (2)	52.9	
	Half	1551			
	Quarter	1551			
Eco 40-60 programme duration (h:min)	Rated capacity	3:55		В	
	Half	2:50	Spin-drying efficiency class ⁽²⁾		
	Quarter	2:30			
Airborne acoustical noise emissions during the spinning phase for the eco 40-60	'			Rated capacity	7:45
	76		wash and dry cycle duration (h:min)		

washing cycle at rated washing capacity (dB(A) re 1 pW)			Half	5:00
Туре	free-standing	Airborne acoustical noise emission class for the spinning phase for the eco 40-60 programme at rated washing capacity	В	
Off-mode (W) (if applicable)	0.50	Standby mode (W) (if applicable)	0.50	
Delay start (W) (if applicable)	4.00	Networked standby (W) (if applicable)	-	
Minimum duration of the guar	antee offered by the sup	pplier 12 months		
This product has been designed during the washing cycle	s product has been designed to release silver ions ing the washing cycle			
Additional information	-			
Weblink to the supplier's websi	te: https://support.electr	oluxgroup.eu/external/PISlink/Products/9146	12007	
(1) for the wash and dry cycle				

⁽²⁾ for the eco 40-60 programme