

G 5651 SCVi Active

Fully integrated dishwashers

in tried-and-tested Miele quality at an affordable entry-level price.



- Best energy efficiency class A – energy-saving and eco-friendly
- Perfect results in less than one hour – QuickPowerWash
- Save up to 50 % electricity with the Miele hot water connection
- Flexible basket design perfect for everyday use – Comfort baskets
- Very easy door opening and closing – ComfortClose
- More flexibility and space for your crockery – height-adjustable upper basket



EAN: 4002516913658 / Material number: 12864940 /
Old Material Number: 21565162GB

Model	
Fully integrated dishwasher	•
60 cm dishwasher	•
Design	
Control panel colour	Stainless Steel.
Control panel version	Fully integrated fascia
Control type	Programme selector button
Display	3-digit 7-segment display
Display colour	Yellow
Convenience	
Door closing aid	AutoClose
Time left display	•
Delay start up to 24 hours	•
In-operation indicator light	acoustic, Display
Efficiency and sustainability	
Energy efficiency class (A–G)	A
Water consumption in the Automatic programme in l from	6.0
Water consumption of the ECO programme in litres per programme cycle	8.2
Electricity consumption in the ECO programme in kWh	0.54
Energy consumption of the ECO programme in kWh after 100 programme cycles	54
Consumption value in kWh in the ECO programme with hot water connection	0.30
Duration of ECO programme in minutes	258
Noise emission class	C
Noise emissions in dB(A)	45
EcoPower Technology	•
Proven hygiene	•
Hot water connection	•
Quality of results	
Fresh water dishwasher	•
Active condensation drying	•
BrilliantGlassCare	•
Wash programmes	
QuickPowerWash	•
ECO	•
Automatic	•
Intensive 75 °C	•
Gentle	•
Dishwashing options	
Express	•
Extra Clean	•
Extra dry	•
Basket design	
Cutlery loading	Cutlery tray
FlexCare cup rack	1
Basket design	Comfort

G 5651 SCVi Active

Fully integrated dishwashers

in tried-and-tested Miele quality at an affordable entry-level price.



EAN: 4002516913658 / Material number: 12864940 /

Old Material Number: 21565162GB

Number of place settings

14

Safety

Waterproof system

•

Technical data

Niche width minimal in mm

600

Niche width max in mm

600

Niche height minimal in mm

805

Niche height maximal in mm

870

Niche depth in mm

550

Appliance width in mm

598

Appliance height in mm

805

Appliance depth in mm

550

Depth with door open in cm

116.5

Net weight in kg

44.0

Total rated load in kW

2.00

Voltage in V

230

Fuse rating in A

10

Number of phases

1

Electrical frequency standard

50

Length of water inlet hose in m

1.50

Length of water drain hose in m

1.50

Length of supply lead in m

1.80

Min. front panel weight in kg

4.0

Max. front panel weight in kg

11.0

[can be retrofitted by Service to min.]

8.0

[can be retrofitted by Service to max.]

16.0

Accessories included

1 x UltraTabs box (20 tabs)

•


Voucher for 1 x box of UltraTabs (20 tabs) or 3 boxes (60 tabs in each) at a reduced price

•

G 5651 SCVi Active

Fully integrated dishwashers

in tried-and-tested Miele quality at an affordable entry-level price.



G7000, fully integrated dishwasher, 60cm (installation drawing)

1) Plinth height 35-155 mm, 2) Plinth height 100-220 mm, 3) Appliance height max. 930 mm with plinth height conversion kit (Mat.-Nr. 6.394.761),