



- Best energy efficiency class A energy-saving and eco-friendly
- Wonderful use of space the 3D MultiFlex tray with more room for your cutlery
- More information options and modern domestic appliance networking – Miele@home
- Completely dry Miele AutoOpen drying
- Fresh water dishwashers as little as ?? water consumed in Automatic programme
- Very easy door opening and closing – ComfortClose



EAN: 4002516913757 / Material number: 12865040 / Old Material Number: 21708062GB	
Model	
Fully integrated dishwasher	•
60 cm dishwasher	•
Design	
Control panel colour	Stainless Steel.
Control panel version	Fully integrated fascia
Control type	Programme selector button
Display	1-line text display
Display colour	White
MultiLingua	•
Convenience	
Networking with Miele@home	•
Automatic dispensing with PowerDisk	•
Door closing aid	AutoClose
Time left display	•
Delay start up to 24 hours	•
In-operation indicator light	optical and acoustic
Display language selection	•
Efficiency and sustainability	
Energy efficiency class (A–G)	A
Water consumption in the Automatic programme in I from	6.0
Water consumption of the ECO programme in litres per	8.4
programme cycle	G
Electricity consumption in the ECO programme in kWh	0.54
Energy consumption of the ECO programme in kWh after 100 programme cycles	54
Consumption value in kWh in the ECO programme with hot water connection	0.29
Duration of ECO programme in minutes	230
Noise emission class	В
Noise emissions in dB(A)	43
EcoFeedback	•
EcoPower Technology	•
Proven hygiene	•
Hot water connection	•
Half load	•
Quality of results	
Fresh water dishwasher	•
SensorDry	•
Active condensation drying	•
BrilliantGlassCare	•
Wash programmes	
QuickPowerWash	•
ECO	•
Automatic	•
ComfortWash 45 °C	•
Intensive 75 °C	•
PowerWash	•
	<del>-</del>





EAN: 4002516913757 / Material number: 12865040 / Old Material Number: 21708062GB ComfortWash+ 55 °C Gentle ExtraQuiet 39 dB(A) Appliance care Rinse out salt Dishwashing options AutoDos BottleClean Quick IntenseZone Extra Clean Extra dry Basket design Cutlery loading 3D MultiFlex tray FlexCare glass holder FlexCare cup rack ExtraComfort Basket design Number of place settings 14 MultiClip ٠ FlexCare Glass & Bottle XL Assist Safety Waterproof system Filter indicator light Technical data Niche width minimal in mm 600 Niche width max in mm 600 Niche height minimal in mm 805 Niche height maximal in mm 870 550 Niche depth in mm 598 Appliance width in mm Appliance height in mm 805 550 Appliance depth in mm Depth with door open in cm 116.5 47.0 Net weight in kg Total rated load in kW 2.00 Voltage in V 230 Fuse rating in A 10 Number of phases Electrical frequency standard 50 1.50 Length of water inlet hose in m 1.50 Length of water drain hose in m Length of supply lead in m 1.80 Min. front panel weight in kg 4.0 Max. front panel weight in kg 11.0 [can be retrofitted by Service to min.] 7.0

[can be retrofitted by Service to max.]

14.0






EAN: 4002516913757 / Material number: 12865040 / Old Material Number: 21708062GB

Available display languages	
Available display languages via MultiLingua	deutsch, english, english (AU), ???????, ? ??, ???
Accessories included	
1 x PowerDisk	•
Voucher for 6 x PowerDisk	•





G7000, fully integrated dishwasher, 60cm (installation drawing)  $\,$ 

1) Plinth height 35-155 mm, 2) Plinth height 100-220 mm, 3) Appliance height max. 930 mm with plinth height conversion kit (Mat.-Nr. 6.394.761),