

Type	Technical Code	Commercial Code	Code		
Hoods	K61BMLZX_50	KIN52MOD1XC/2	SPP_0005028		
General Information					
State	W RnD	Life Cycle	Y2 - On Management		
Product family	HOODS BI	Aesthetical line	MODERN	Colour leading code	STAINLESS STEEL
Brand	BERTAZZONI	Private Label	BERTAZZONI		
Make or Buy Flag	Bought	Type of production	CBU		
Type of installation	BUILT IN	Factory	Guastalla		
Technical code	K61BMLZX_50	Predecessor Code	K61BML11X_50	Technical code of derivation	
Commercial description	52 cm Built-In Hood, 1 motor				
Short Description IT	52 cm Built-In Hood, 1 motor	Short Description FR	52 cm Built-In Hood, 1 motor		
Short Description EN	52 cm Built-In Hood, 1 motor	Short Description US	52 cm Built-In Hood, 1 motor		
EAN Required	YES	Ean code	8050246543429		
Commercial code	KIN52MOD1XC/2	Second commercial code			
Market	EUROPE	Customer	GENERICO		
Years of warranty		Approvals	CE	Approval code	
Notes		Changes notes			
Energy Label					
Energy Label Required	YES	Annual energy consumption - AEChood (kWh/annum)	75.2		
Fluid dynamic efficiency class	C	Fluid dynamic efficiency	19.4		
Energy efficiency class	B				
Measured air pressure at best efficiency point - P _{bep} (Pa)	372	Minimum air flow in normal use (m³/h)	280.0		
Maximum air flow in normal use (Intensive / Boost Excluded) (m³/h)	540	Air flow at Intensive/Boost Setting - (m³/h)	620.0		
Lighting efficiency class	A	Light efficiency	55		
Power consuption in standby mode - P _s (W)	0	Power consuption off Mode - P _o (W)	0.49		
Grease filtering efficiency - GFEhood (%)	65.1	Grease filtering efficiency class	D		
Energy Label Country	UE + UK				
Technical Data					
Supply voltage [V]/Supply frequency [Hz]	220-240 V , 50/60 HZ	Absorbed power [W]	240		
Absorbed current [A]	NO	Plug type	INO		
Minimum Cable length (m)	1.5	Minimum Cable length (in)	59"		
Output air extraction (m³/h)	645				
Max extraction power (CFM)	NON APPLICABLE	Max extraction power (SONES)			
Sound level maximum speed (dba)	66	Sound level maximum speed (Sones)			
Sound level maximum speed/Boost (dba)	68	Sound level maximum speed/Booster (Sones)			
Sound level minimum speed (dba)	50	Sound level minimum speed (Sones)			
Microwave magnetron power	NO	Grill max power (W)	NO		
Suction type	SUCTION AND FILTER				
Dimensions & Weights					
Size	52				
Height PF (mm)	317.6	Height PF (in)			
Width PF (mm)	520	Width PF (in)			
Depth PF (mm)	290	Depth PF (in)			
Depth with handle (mm)	NO	Depth with handle (in)			
Depth with open door (mm)	NO	Depth with open door (in)			
Built-in hole height (mm)	425	Built-in hole height (in)			
Built-in hole width (mm)	495	Built-in hole width (in)			
Built-in hole depth (mm)	264	Built-in hole depth (in)			
Chimney height (mm)	NO	Chimney height (in)			
Package type	WOOD PALLET				
Package height (mm)	425	Package height (in)			
Package width (mm)	685	Package width (in)			
Package depth (mm)	365	Package depth (in)			
Hood distance from worktop (mm)	530	Hood distance from worktop (in)			
Net weight (Kg)	7.5	Gross weight (Lb)	0.0		
Gross weight (Kg)	9.0	Net weight (Lb)			
Aesthetics					
Badge	SERIGRAPHY	Location of fascia	FRONT		
Handle type	NO	Knob type	NO		
User Interface					
Type of control device	ELECTRONIC WITH BUTTONS				
Grill power levels	NO	Microwave number of power levels	NO		
General characteristics					
Hood version	BUILT-IN	Duct cover	NOT INCLUDED		
Duct size diameter (in)		Max height of installation (ft)			
Motor	1	Speed	3 + BOOSTER		
Filter type	ALUMINUM	Filter cleaning	WASHABLE		
Type and number of lights	2 LED				
Filters number	1	Hood Special features			
Perimental aspiration	YES	Digital airflow control	NO		
Microwave					
Microwave type	NO	Microwave functions	NO		
Microwave special features	NO	Turntable	NO		
Cavity material	NO	Light	NO		
Guides type	NO				
Gross volume	0	Net volume	0		
Microwave grill tray	NO	Microwave gasket	NO		
Safety Devices					
Locked controls	NO	Saturation alarm	YES		
Documentation					
Booklet languages	DUTCH-ENGLISH-FRENCH-GERMAN-ITALIAN-SPANISH	Warranty certificate	NO		
Miscellaneous					
Marketing remarks					