

Type	Technical Code	Commercial Code	Code		
Ovens	W6.9.M1VE.D0	W0605	F006546		
General Information					
Stato	Under/Review	Life Cycle	Y2 - On Management		
Product family	WARNING DRAWERS 60 CH	Aestheticall line	MODERN	Colour loading code	OBSDIAN MIRROR
Brand	BERTAZZONI	Private Label	BERTAZZONI		
Make or Buy Flag	Make	Type of production	CBU		
Type of installation	BUILT IN	Factory	Guastalla	Predecessor Code	W6.9.N1NE.D0
Technical code	W6.9.M1VE.D0	Technical code of derivation			
Commercial description	60x12 Cassetto Scaldavivande, Ossidiana Specchio	Short Description FR	60x12 Tiror chauffant, Obsidian Mirror		
Short Description IT	60x12 Cassetto Scaldavivande, Ossidiana Specchio	Short Description US	60x12 Warming Drawer, Obsidian Mirror		
Short Description EN	60x12 Warming Drawer, Obsidian Mirror	Fan code	8050240544365		
EAN Required	YES	Second commercial code			
Commercial code	W0605	Customer	GENERICO		
Market	AUSTRALIA/EUROPE				
Years of warranty		Approvals	CE,SA,UK,CA		
Approval code	SGS-200055-EA	Changes notes			
Notes	Nuove finiture				
Energy Label					
Energy Label required	NO	Number of cavities	1		
Energy class OD		Oven program used to determine energy class			
Natural convention energy consumption [kWh]		Forced convention energy consumption [kWh]			
Main oven net capacity l		Oven typology energy label			
Required cooking time for normal load (min)		Oven program used to determine energy class of secondary oven			
Secondary oven energy class OD		Forced convention energy consumption secondary oven[kWh]			
Natural convention energy consumption secondary oven[kWh]		Oven typology energy label secondary oven			
Secondary oven net capacity l					
Required cooking time for normal load secondary oven(min)					
Heat Source		EEl [η] _l energy efficiency index	0.0		
Energy consumption in conventional mode [electric final energy](kWh/Cycle)	0.0	Energy consumption in fan forced mode(electric final energy) [kWh/Cycle]	0.0		
Energy consumption in conventional mode(gas final energy) [MJ/Cycle]	0.0	Energy consumption in fan forced mode(gas final energy) [MJ/Cycle]	0.0		
Energy consumption in conventional mode (gas final energy)(kWh/Cycle)	0.0	Energy consumption in fan forced mode (gas final energy)(kWh/Cycle)	0.0		
Heat source secondary oven		EEl [η] _l Energy efficiency index secondary oven	0.0		
Energy consumption in conventional mode secondary oven [electric final energy](kWh/Cycle)	0.0	Energy consumption in fan forced mode secondary oven [electric final energy](kWh/Cycle)	0.0		
Energy consumption in conventional mode(gas final energy) [MJ/Cycle]	0.0	Energy consumption in fan forced mode(gas final energy) [MJ/Cycle]	0.0		
Energy consumption in conventional mode (gas final energy)(kWh/Cycle)	0.0	Energy consumption in fan forced mode secondary oven (gas final energy)(kWh/Cycle)	0.0		
Convention oven consumption		Fan assisted oven consumption			
Convention secondary oven consumption		Fan assisted secondary oven consumption			
Main oven grilling tray surface		Secondary oven grilling tray surface			
Energy Label Country					
Technical Data					
Supply voltage [V]/Supply frequency [Hz]	220-240 V, 50/60 HZ	Absorbed power [W]	420 W		
(Alternative) Supply voltage [V]/Supply frequency [Hz]		(Alternative) Absorbed power [W]			
Absorbed current [A]	2 A	Gas power [kW]	N.A.		
Electrical supply	Mono 240 V - 6 A	Plug type	NO		
Minimum Cable length (m)	1.5	Minimum Cable length (in)	59"		
Output power [W]	420	Magnetron microwave power [W]	N.A.		
Ventilated oven power [W]	0.0				
Gas type	ELECTRIC PRODUCT	Alternative gas	NO		
Gas connectors	NO				
Main oven max power [W]	N.A.	Secondary oven max power [W]	N.A.		
Main grill max power [W]	N.A.	Secondary grill max power [W]	N.A.		
Temperature range		Convection fan - output power	0		
Bake - output power (calculate for 120/240 V)	0				
Dimensions & Weights					
Height PF (mm)	140	Height PF (in)			
Width PF (mm)	596	Width PF (in)			
Depth PF (mm)	520	Depth PF (in)			
Depth with handle (mm)	520	Depth with handle (in)			
Depth with open door (mm)	N.A.	Depth with open door (in)			
Built-in hole height (mm)	142	Built-in hole height (in)			
Built-in hole width (mm)	560	Built-in hole width (in)			
Built-in hole depth (mm)	550	Built-in hole depth (in)			
Package type	STANDARD PACKING				
Package height (mm)	250	Package height (in)			
Package width (mm)	670	Package width (in)			
Package depth (mm)	645	Package depth (in)			
Net weight (Kg)	15.5	Net weight (Lb)			
Gross weight (kg)	16.5	Gross weight (Lb)	0.0		
Coordination Icons					
Materials					
Location of facade	FRONT	Facade type	NO		
Oven door glass colour	WD FLAT	Inner door	NO		
Hinge	NO	Knob type	NO		
Handle type	NO				
User Interface					
Type of regulation	KNOBES	Cooking programming	NO		
Function indicator	KNOBES	Cooking control functions			
Grill power levels / No. Power levels		Microwave power Levels / No. Power levels			
Main Oven					
Main oven type /Main grill	NO				
Cooking modes 1	WARNING	Cleaning functions 1			
Cleaning	NO	Turnspit/Fans	NO		
Turntable		Light turning on	NO		
Main cavity material	NO	Type of main oven guides	NO		
Gross volume oven		Gross volume oven [cu.ft]			
Net oven volume		Net volume oven [cu.ft]			
Oven grids	NO				
Main oven accessories	NO	Oven grill tray	NO		
Oven gasket	NO	Levels of cooking oven			
Water tank (L)		Water tank (L)			
Secondary Oven					
Secondary oven type/Secondary grill	NO				
Cooking modes 2		Cleaning functions 2			
Secondary oven cleaning	NO	Secondary oven turnspit /Fans	NO		
Secondary oven light turning on	NO	Secondary cavity material	NO		
Type of secondary oven guides	NO				
Gross volume secondary oven		Gross volume secondary oven [cu.ft]			
Net volume secondary oven		Net volume secondary oven [cu.ft]			
Oven grids 2	NO				
Main oven accessories 2	NO	Oven grill tray 2	NO		
Oven gasket 2	NO	Levels of cooking secondary oven			
Safety Devices					
Ignition	NO	Flame failure device	NO		
Locked controls	NO	Cooling fan	NO		
Knob deflector	NO				
Documentation					
Booklet languages	ENGLISH/ITALIAN	Warranty certificate	NO		