P09FNE3



Colour range
Body


- Blue grey – BG
- Antique white – AW
- White – WH
- Blue – MB
- Stainless steel – SS
- Matt graphite – MG
- Glossy black glass – BK
- Burgundy red – BU
- Emerald green – EG
- RAL Classic – RA optional

Finishes
Knobs, handles, frames (optional)

- Brass – G
- Copper – P
- Chrome – C
- Burnished – B

Configuration

6 burners + fry top**



Double ring burner
4,3 kW / 1,8 kW

*Double ring Dual burner
5,0 kW / 0,3 kW
optional

Fry Top plate
double burner
3 kW / 0,6 kW
1,8 kW / 0,4 kW

Big burner
3 kW / 0,6 kW

Small burner
1,8 kW / 0,4 kW

Ovens

Primary oven: OV 80 E3

General features

- Energy class A+
- Operating temperature 30-300°C
- Electronic temperature control
- Lighting double internal light
- Automatic light switch-on when door opens
- Full glass oven door
- Soft-closing door
- Door glass with triple glass (EN60335-2-6-11.101)
- High density insulation
- Ventilation cooling tangential
- Child safety

Cavity features

- Muffle with easy clean enamel
- Internal dimensions (W×H×D) 64,5×36,5×41 cm
- Capacity 97 L
- Steam discharge controlled with dry or moist cooking option
- Folding grill heating element
- Rotisserie spit diagonal
- Thermostat with electronic probe


Consumptions


Maximum input	3,4 kW
Top electrical heating element	1200 W
Bottom electrical heating element	1350 W
Electric grill	2150 W
Circular heating element	2100 W

Functions

- Pizza function
- Quick start
- Multiple fan cooking
- Multiple moist fan cooking
- Intensive cooking
- Wet intensive cooking
- Fan grill cooking
- Grill cooking
- Cooking from above
- Wet cooking from above
- Cooking from below
- Wet cooking from below
- Normal static cooking
- Wet static cooking
- ECO cooking

Technical drawing & dimensions





P09FQNE3



Colour range
Body

- Blue grey – BG
- Antique white – AW
- White – WH
- Blue – MB
- Stainless steel – SS
- Matt graphite – MG
- Glossy black glass – BK
- Burgundy red – BU
- Emerald green – EG
- RAL Classic – RA (optional)

Finishes
Knobs, handles, frames (optional)

- Brass – G
- Copper – P
- Chrome – C
- Burnished – B


Optional solid door version
optional

Order code: add letter “Q” before the “N” letter

Noblesse frames
optional

Configuration

6 burners + fry top**



Double ring burner
4,3 kW / 1,8 kW

*Double ring Dual burner
5,0 kW / 0,3 kW
optional

Fry Top plate
double burner
3 kW / 0,6 kW
1,8 kW / 0,4 kW

Big burner
3 kW / 0,6 kW

Small burner
1,8 kW / 0,4 kW

Ovens

Primary oven: OV 80 E3

General features

- Energy class A+
- Operating temperature 30-300°C
- Electronic temperature control
- Lighting double internal light
- Automatic light switch-on when door opens
- Full glass oven door
- Soft-closing door
- Door glass with triple glass (EN60335-2-6-11.101)
- High density insulation
- Ventilation cooling tangential
- Child safety

Cavity features

- Muffle with easy clean enamel
- Internal dimensions (W×H×D) 64,5×36,5×41 cm
- Capacity 97 L
- Steam discharge controlled with dry or moist cooking option
- Folding grill heating element
- Rotisserie spit diagonal
- Thermostat with electronic probe


Consumptions


Maximum input	3,4 kW
Top electrical heating element	1200 W
Bottom electrical heating element	1350 W
Electric grill	2150 W
Circular heating element	2100 W

Functions

- Pizza function
- Quick start
- Multiple fan cooking
- Multiple moist fan cooking
- Intensive cooking
- Wet intensive cooking
- Fan grill cooking
- Grill cooking
- Cooking from above
- Wet cooking from above
- Cooking from below
- Wet cooking from below
- Normal static cooking
- Wet static cooking
- ECO cooking

Technical drawing & dimensions





P09INE3



Colour range
Body

Blue grey – BG

Antique white – AW

White – WH

Blue – MB

Stainless steel – SS

Matt graphite – MG

Glossy black glass – BK

Burgundy red – BU

Emerald green – EG

RAL Classic – RA
optional

Finishes
Knobs, handles, frames (optional)

Brass – G


Copper – P

Chrome – C

Burnished – B

Configuration

2 induction zones



Two-induction zones
2×1,85 kW
max. 3,7 kW

Double ring burner
4,3 kW / 1,8 kW

Big burner
3 kW / 0,6 kW

Small burner
1,8 kW / 0,4 kW

* Double ring Dual burner
5,0 kW / 0,3 kW
optional

Ovens

Primary oven: OV 80 E3

General features

- Energy class A+
- Operating temperature 30-300°C
- Electronic temperature control
- Lighting double internal light
- Automatic light switch-on when door opens
- Full glass oven door
- Soft-closing door
- Door glass with triple glass (EN60335-2-6-11.101)
- High density insulation
- Ventilation cooling tangential
- Child safety

Cavity features

- Muffle with easy clean enamel
- Internal dimensions (W×H×D) 64,5×36,5×41 cm
- Capacity 97 L
- Steam discharge controlled with dry or moist cooking option
- Folding grill heating element
- Rotisserie spit diagonal
- Thermostat with electronic probe


Consumptions


Maximum input	3,4 kW
Top electrical heating element	1200 W
Bottom electrical heating element	1350 W
Electric grill	2150 W
Circular heating element	2100 W

Functions

- Pizza function
- Quick start
- Multiple fan cooking
- Multiple moist fan cooking
- Intensive cooking
- Wet intensive cooking
- Fan grill cooking
- Grill cooking
- Cooking from above
- Wet cooking from above
- Cooking from below
- Wet cooking from below
- Normal static cooking
- Wet static cooking
- ECO cooking

Technical drawing & dimensions





P09IQNE3



Colour range
Body

- Blue grey – BG
- Antique white – AW
- White – WH
- Blue – MB
- Stainless steel – SS
- Matt graphite – MG
- Glossy black glass – BK
- Burgundy red – BU
- Emerald green – EG
- RAL Classic – RA (optional)

Finishes
Knobs, handles, frames (optional)

- Brass – G
- Copper – P
- Chrome – C
- Burnished – B


Optional solid door version
optional

Order code: add letter “Q” before the “N” letter

Noblesse frames
optional

Configuration

2 induction zones



Two-induction zones
2×1,85 kW
max. 3,7 kW

Double ring burner
4,3 kW / 1,8 kW

Big burner
3 kW / 0,6 kW

Small burner
1,8 kW / 0,4 kW

* Double ring Dual burner
5,0 kW / 0,3 kW
optional

Ovens

Primary oven: OV 80 E3

General features

- Energy class A+
- Operating temperature 30-300°C
- Electronic temperature control
- Lighting double internal light
- Automatic light switch-on when door opens
- Full glass oven door
- Soft-closing door
- Door glass with triple glass (EN60335-2-6-11.101)
- High density insulation
- Ventilation cooling tangential
- Child safety

Cavity features

- Muffle with easy clean enamel
- Internal dimensions (W×H×D) 64,5×36,5×41 cm
- Capacity 97 L
- Steam discharge controlled with dry or moist cooking option
- Folding grill heating element
- Rotisserie spit diagonal
- Thermostat with electronic probe


Consumptions


Maximum input	3,4 kW
Top electrical heating element	1200 W
Bottom electrical heating element	1350 W
Electric grill	2150 W
Circular heating element	2100 W

Functions

- Pizza function
- Quick start
- Multiple fan cooking
- Multiple moist fan cooking
- Intensive cooking
- Wet intensive cooking
- Fan grill cooking
- Grill cooking
- Cooking from above
- Wet cooking from above
- Cooking from below
- Wet cooking from below
- Normal static cooking
- Wet static cooking
- ECO cooking

Technical drawing & dimensions





P09PNE3



Colour range
Body


- Blue grey – BG
- Antique white – AW
- White – WH
- Blue – MB
- Stainless steel – SS
- Matt graphite – MG
- Glossy black glass – BK
- Burgundy red – BU
- Emerald green – EG
- RAL Classic – RA optional

Finishes
Knobs, handles, frames (optional)

- Brass – G
- Copper – P
- Chrome – C
- Burnished – B

Configuration

Fish burner



Double ring burner
4,3 kW / 1,8 kW

Fish pot burner
3,1 kW / 1,1 kW

Big burner
3 kW / 0,6 kW

Small burner
1,8 kW / 0,4 kW

*Double ring Dual burner
5,0 kW / 0,3 kW
optional

Ovens

Primary oven: OV 80 E3

General features

- Energy class A+
- Operating temperature 30-300°C
- Electronic temperature control
- Lighting double internal light
- Automatic light switch-on when door opens
- Full glass oven door
- Soft-closing door
- Door glass with triple glass (EN60335-2-6-11.101)
- High density insulation
- Ventilation cooling tangential
- Child safety

Cavity features

- Muffle with easy clean enamel
- Internal dimensions (W×H×D) 64,5×36,5×41 cm
- Capacity 97 L
- Steam discharge controlled with dry or moist cooking option
- Folding grill heating element
- Rotisserie spit diagonal
- Thermostat with electronic probe


Consumptions


Maximum input	3,4 kW
Top electrical heating element	1200 W
Bottom electrical heating element	1350 W
Electric grill	2150 W
Circular heating element	2100 W

Functions

- Pizza function
- Quick start
- Multiple fan cooking
- Multiple moist fan cooking
- Intensive cooking
- Wet intensive cooking
- Fan grill cooking
- Grill cooking
- Cooking from above
- Wet cooking from above
- Cooking from below
- Wet cooking from below
- Normal static cooking
- Wet static cooking
- ECO cooking

Technical drawing & dimensions





P09PQNE3



Colour range
Body

- Blue grey – BG
- Antique white – AW
- White – WH
- Blue – MB
- Stainless steel – SS
- Matt graphite – MG
- Glossy black glass – BK
- Burgundy red – BU
- Emerald green – EG
- RAL Classic – RA
  optional

Finishes
Knobs, handles, frames (optional)

- Brass – G
- Copper – P
- Chrome – C
- Burnished – B


Optional solid door version
optional

Order code: add letter “Q” before the “N” letter

Noblesse frames
optional

Configuration

Fish burner



Double ring burner
4,3 kW / 1,8 kW

Fish pot burner
3,1 kW / 1,1 kW

Big burner
3 kW / 0,6 kW

Small burner
1,8 kW / 0,4 kW

*Double ring Dual burner
5,0 kW / 0,3 kW
optional

Ovens

Primary oven: OV 80 E3

General features

- Energy class A+
- Operating temperature 30-300°C
- Electronic temperature control
- Lighting double internal light
- Automatic light switch-on when door opens
- Full glass oven door
- Soft-closing door
- Door glass with triple glass (EN60335-2-6-11.101)
- High density insulation
- Ventilation cooling tangential
- Child safety

Cavity features

- Muffle with easy clean enamel
- Internal dimensions (W×H×D) 64,5×36,5×41 cm
- Capacity 97 L
- Steam discharge controlled with dry or moist cooking option
- Folding grill heating element
- Rotisserie spit diagonal
- Thermostat with electronic probe


Consumptions


Maximum input	3,4 kW
Top electrical heating element	1200 W
Bottom electrical heating element	1350 W
Electric grill	2150 W
Circular heating element	2100 W

Functions

- Pizza function
- Quick start
- Multiple fan cooking
- Multiple moist fan cooking
- Intensive cooking
- Wet intensive cooking
- Fan grill cooking
- Grill cooking
- Cooking from above
- Wet cooking from above
- Cooking from below
- Wet cooking from below
- Normal static cooking
- Wet static cooking
- ECO cooking

Technical drawing & dimensions





P096NE3



Colour range
Body

- Blue grey – BG
- Antique white – AW
- White – WH
- Blue – MB
- Stainless steel – SS
- Matt graphite – MG
- Glossy black glass – BK
- Burgundy red – BU
- Emerald green – EG
- RAL Classic – RA optional

Finishes
Knobs, handles, frames (optional)


- Brass – G
- Copper – P
- Chrome – C
- Burnished – B

ILVE

www.ilve.com

Configuration

6 burners



Double ring burner
4,3 kW / 1,8 kW

Big burner
3 kW / 0,6 kW

Small burner
1,8 kW / 0,4 kW

*Double ring Dual burner
5,0 kW / 0,3 kW
optional

Ovens

Primary oven: OV 80 E3

General features

- Energy class A+
- Operating temperature 30-300°C
- Electronic temperature control
- Lighting double internal light
- Automatic light switch-on when door opens
- Full glass oven door
- Soft-closing door
- Door glass with triple glass (EN60335-2-6-11.101)
- High density insulation
- Ventilation cooling tangential
- Child safety

Cavity features

- Muffle with easy clean enamel
- Internal dimensions (W×H×D) 64,5×36,5×41 cm
- Capacity 97 L
- Steam discharge controlled with dry or moist cooking option
- Folding grill heating element
- Rotisserie spit diagonal
- Thermostat with electronic probe


Consumptions


Maximum input	3,4 kW
Top electrical heating element	1200 W
Bottom electrical heating element	1350 W
Electric grill	2150 W
Circular heating element	2100 W

Functions

- Pizza function
- Quick start
- Multiple fan cooking
- Multiple moist fan cooking
- Intensive cooking
- Wet intensive cooking
- Fan grill cooking
- Grill cooking
- Cooking from above
- Wet cooking from above
- Cooking from below
- Wet cooking from below
- Normal static cooking
- Wet static cooking
- ECO cooking

Technical drawing & dimensions





P096QNE3



Colour range
Body

- Blue grey – BG
- Antique white – AW
- White – WH
- Blue – MB
- Stainless steel – SS
- Matt graphite – MG
- Glossy black glass – BK
- Burgundy red – BU
- Emerald green – EG
- RAL Classic – RA
  optional

Finishes
Knobs, handles, frames (optional)

- Brass – G
- Copper – P
- Chrome – C
- Burnished – B


Optional solid door version
optional

Order code: add letter “Q” before the “N” letter

Noblesse frames
optional

Configuration

6 burners



Double ring burner
4,3 kW / 1,8 kW

Big burner
3 kW / 0,6 kW

Small burner
1,8 kW / 0,4 kW

*Double ring Dual burner
5,0 kW / 0,3 kW
optional

Ovens

Primary oven: OV 80 E3

General features

- Energy class A+
- Operating temperature 30-300°C
- Electronic temperature control
- Lighting double internal light
- Automatic light switch-on when door opens
- Full glass oven door
- Soft-closing door
- Door glass with triple glass (EN60335-2-6-11.101)
- High density insulation
- Ventilation cooling tangential
- Child safety

Cavity features

- Muffle with easy clean enamel
- Internal dimensions (W×H×D) 64,5×36,5×41 cm
- Capacity 97 L
- Steam discharge controlled with dry or moist cooking option
- Folding grill heating element
- Rotisserie spit diagonal
- Thermostat with electronic probe


Consumptions


Maximum input	3,4 kW
Top electrical heating element	1200 W
Bottom electrical heating element	1350 W
Electric grill	2150 W
Circular heating element	2100 W

Functions

- Pizza function
- Quick start
- Multiple fan cooking
- Multiple moist fan cooking
- Intensive cooking
- Wet intensive cooking
- Fan grill cooking
- Grill cooking
- Cooking from above
- Wet cooking from above
- Cooking from below
- Wet cooking from below
- Normal static cooking
- Wet static cooking
- ECO cooking

Technical drawing & dimensions





PI096NE3



Colour range
Body


- Blue grey – BG
- Antique white – AW
- White – WH
- Blue – MB
- Stainless steel – SS
- Matt graphite – MG
- Glossy black glass – BK
- Burgundy red – BU
- Emerald green – EG
- RAL Classic – RA optional

Finishes
Knobs, handles, frames (optional)

- Brass – G
- Copper – P
- Chrome – C
- Burnished – B

Configuration

Induction



Induction zone Bridge Ø 180+180 mm 3 kW / 1,85 kW +3 kW / 1,85 kW	Induction zone Ø 145 mm 2,2 kW / 1,4 kW	Induction zone Ø 180 mm 3 kW / 1,85 kW	Induction zone Ø 210 mm 3,7 kW / 2,3 kW

Ovens

Primary oven: OV 80 E3

General features

- Energy class A+
- Operating temperature 30-300°C
- Electronic temperature control
- Lighting double internal light
- Automatic light switch-on when door opens
- Full glass oven door
- Soft-closing door
- Door glass with triple glass (EN60335-2-6-11.101)
- High density insulation
- Ventilation cooling tangential
- Child safety


Cavity features

- Muffle with easy clean enamel
- Internal dimensions (W×H×D) 64,5×36,5×41 cm
- Capacity 97 L
- Steam discharge controlled with dry or moist cooking option
- Folding grill heating element
- Rotisserie spit diagonal
- Thermostat with electronic probe


Consumptions

Maximum input	3,4 kW
Top electrical heating element	1200 W
Bottom electrical heating element	1350 W
Electric grill	2150 W
Circular heating element	2100 W

Functions



Technical drawing & dimensions



PI096QNE3



Colour range
Body

- Blue grey – BG
- Antique white – AW
- White – WH
- Blue – MB
- Stainless steel – SS
- Matt graphite – MG
- Glossy black glass – BK
- Burgundy red – BU
- Emerald green – EG
- RAL Classic – RA
  optional

Finishes
Knobs, handles, frames (optional)

- Brass – G
- Copper – P
- Chrome – C
- Burnished – B


Optional solid door version
optional

Order code: add letter “Q” before the “N” letter

Noblesse frames
optional

Configuration

Induction



Induction zone Bridge Ø 180+180 mm 3 kW / 1,85 kW +3 kW / 1,85 kW	Induction zone Ø 145 mm 2,2 kW / 1,4 kW	Induction zone Ø 180 mm 3 kW / 1,85 kW	Induction zone Ø 210 mm 3,7 kW / 2,3 kW

Ovens

Primary oven: OV 80 E3

General features

- Energy class A+
- Operating temperature 30-300°C
- Electronic temperature control
- Lighting double internal light
- Automatic light switch-on when door opens
- Full glass oven door
- Soft-closing door
- Door glass with triple glass (EN60335-2-6-11.101)
- High density insulation
- Ventilation cooling tangential
- Child safety


Cavity features

- Muffle with easy clean enamel
- Internal dimensions (W×H×D) 64,5×36,5×41 cm
- Capacity 97 L
- Steam discharge controlled with dry or moist cooking option
- Folding grill heating element
- Rotisserie spit diagonal
- Thermostat with electronic probe

Consumptions

Maximum input	3,4 kW
Top electrical heating element	1200 W
Bottom electrical heating element	1350 W
Electric grill	2150 W
Circular heating element	2100 W

Functions



Technical drawing & dimensions

