

Product datasheet

Specifications



Power Mount USB-C Wall Connector for Apple HomeView

SAH111303

EAN Code: 3606488228973

Main

Product or component type	USB-C wall connector
Device presentation	Complete product
Device mounting	Surface
Type of USB power supply	USB type C
Colour tint	White (RAL 9003)

Complementary

Range	Power Mount
Main colour tint	White
Cover fixing	Clipped
Number of terminals	6
Nominal output power	60 W
load type	Power delivery
Maximum power consumption in W	60 W 3 A
Cable length	1300...2000 mm
Material	Zamak: fixing frame PC + LRS: cover frame ABS + PC
Surface finish	Matt
Height	126.3 mm
Width	126.3 mm
Depth	16.1 mm
IK degree of protection	IK04
IP degree of protection	IP30
Standards	IEC 62368-1:2023 EN/IEC 62368-1:2024

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	4.060 cm
Package 1 Width	16.570 cm
Package 1 Length	16.570 cm

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Package 1 Weight	544.000 g
Unit Type of Package 2	S03
Number of Units in Package 2	17
Package 2 Height	30.000 cm
Package 2 Width	30.000 cm
Package 2 Length	40.000 cm
Package 2 Weight	10.504 kg
Unit Type of Package 3	P12
Number of Units in Package 3	272
Package 3 Height	75.000 cm
Package 3 Width	80.000 cm
Package 3 Length	120.000 cm
Package 3 Weight	180.064 kg



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)



Environmental footprint

Total lifecycle Carbon footprint	7 797 kg CO2 eq.
Carbon footprint of the manufacturing phase [A1 to A3]	7 771 kg CO2 eq.
Carbon footprint of the distribution phase [A4]	0.1 kg CO2 eq.
Carbon footprint of the installation phase [A5]	0.4 kg CO2 eq.
Carbon footprint of the use phase [B2, B3, B4, B6]	25 kg CO2 eq.
Carbon footprint of the end-of-life phase [C1 to C4]	0.2 kg CO2 eq.
Environmental Disclosure	Product Environmental Profile

Use Better



Materials and Substances

Packaging made with recycled cardboard	No
Packaging without single use plastic	Yes
EU RoHS Directive	Compliant
REACH Regulation	Free of Substances of Very High Concern above the threshold

Use Again



Repack and remanufacture

Recyclability potential, in %	21
End of life manual availability	No need of specific recycling operations
Take-back	No

Image of product / Alternate images

Alternative



Image of product in real life situation

