

Type	Technical Code	Commercial Code	Code
Code	AAP03WAN4200	PROD00212NET	FOUR04
General Information			
Site	Underline/line	Life Cycle	Y2 - Oh Management
Product family	COOKERS 2000RD CM DOUBLE	Aesthetic line	PROFESSIONAL
Brand	BERTAZZONI	Private label	BERTAZZONI
Make or Buy flag	Make	Type of production	CEU
Type of installation	FREE STANDING	Factory	Guastalla
Technical code	AAP03WAN4200	Predecessor Code	AAP03UAS4208
Commercial description	PROD00212NET - Professional FS Cooker - Black	Short Description FR	PROD00212NET - Professional FS Cooker - Black
Short Description IT	PROD00212NET - Profession FS Cooker - Black	Short Description US	PROD00212NET - Professional FS Cooker - Black
Short Description EN	PROD00212NET - Profession FS Cooker - Black	Est code	805930482807
LOK Required	YES	Second commercial code	
Commercial code	PROD00212NET	Customer	GENKOD
Market	FRANCE/GREAT BRITAIN/ITALY	Approval	CEURCA
Year of warranty	2	8P Certification	0
2P Certification	0	MOQ of purchase	0
Leadtime	0	MOQ of selling	0
Continued training	0	Notes	
Changes notes	79111110		
Energy Label			
Energy label Required	YES	Number of cavities	2
Energy class CO	A	Oven program used to determine energy class	FEU.PCK
Natural conversion energy consumption (kWh)	0.86	Forced conversion energy consumption (kWh)	0.74
Main oven net capacity (l)	58	Oven typology energy label	MEDIUM(35+ VOLUME + 65)
Required cooking time for normal load (min)	A		
Secondary oven energy class CO	A	Oven program used to determine energy class of secondary oven	FEU.PCK
Natural conversion energy consumption secondary oven(kWh)	0.66	Forced conversion energy consumption secondary oven(kWh)	
Secondary oven net capacity (l)	46	Oven typology energy label secondary oven	MEDIUM(35+ VOLUME + 65)
Required cooking time for normal load secondary oven(min)	46		
Heat source	ELECTRIC	EEI [%]energy efficiency index	93.7
Energy consumption in conventional mode (electric final energy)(kWh/Cycle)	0.86	Energy consumption in fan forced mode(electric final energy)(kWh/Cycle)	0.74
Energy consumption in conventional mode(gas final energy)(MJ/Cycle)	0.0	Energy consumption in fan forced mode(gas final energy)(MJ/Cycle)	0.0
Energy consumption in conventional mode (gas final energy)(kWh/Cycle)	0.0	Energy consumption in fan forced mode (gas final energy)(kWh/Cycle)	0.0
Heat source secondary oven	ELECTRIC	EEI [%]energy efficiency index secondary oven	88.7
Energy consumption in conventional mode secondary oven (electric final energy)(kWh/Cycle)	0.66	Energy consumption in fan forced mode secondary oven (electric final energy)(kWh/Cycle)	0.0
Energy consumption in conventional mode secondary oven (gas final energy)(MJ/Cycle)	0.0	Energy consumption in fan forced mode secondary oven (gas final energy)(MJ/Cycle)	0.0
Energy consumption in conventional mode secondary oven (gas final energy)(kWh/Cycle)	0.0	Energy consumption in fan forced mode secondary oven (gas final energy)(kWh/Cycle)	0.0
Heat source third oven	ELECTRIC	EEI [%]energy efficiency index third oven	0.0
Energy consumption in conventional mode third oven (electric final energy)(kWh/Cycle)	0.0	Energy consumption in fan forced mode third oven (electric final energy)(kWh/Cycle)	0.0
Energy consumption in conventional mode third oven (gas final energy)(MJ/Cycle)	0.0	Energy consumption in fan forced mode third oven (gas final energy)(MJ/Cycle)	0.0
Energy consumption in conventional mode third oven (gas final energy)(kWh/Cycle)	0.0	Energy consumption in fan forced mode third oven (gas final energy)(kWh/Cycle)	0.0
Conversion oven consumption	FEU.PCK	Fan-assisted oven consumption	FEU.PCK
Conversion secondary oven consumption	FEU.PCK	Fan-assisted secondary oven consumption	FEU.PCK
Main oven grilling tray surface	1190	Secondary oven grilling tray surface	884
Hot energy efficiency	56.3	heating technology	GAS
Energy Label Country	US - UK		
Technical Data			
Supply voltage [V]/Supply frequency [Hz]	220-240V/50-60Hz	Absorbed power [W]	4300
(Alternative) Supply voltage [V]/Supply frequency [Hz]	NO	(Alternative) Absorbed power [W]	74.4
Absorbed current [A]	19.3	Gas power [kW]	18.25
Plug type	NO	Minimum Cable length [m]	59"
Minimum Cable length [m]	1.5		
Gas type	G20/G20M8BAR - NATURAL GAS	Alternative gas	NO
Alternative gas	G20/G20M8BAR OR G13/L2 - 20M8BAR OR G13/7M8BAR - GPL	Secondary oven gas power [W]	1300.0
Gas connections	FEMALE FEMALE CONNECTOR,GPL CONNECTOR,GPL REDUCTION, METHANE CONNECTOR	Secondary grill gas power [W]	1300.0
Main oven max power [W]	2060.0		
Main grill max power [W]	1400.0		
Dimensions (mm)			
Height FF (mm)	833.013	Height PF (in)	32.8
Width FF (mm)	590	Width PF (in)	23.2
Depth FF (mm)	608	Depth with handle (in)	23.9
Depth with handle (mm)	3030	Depth with open door (in)	0.0
Built-in hole height (mm)	0.0	Built-in hole height (in)	0.0
Built-in hole width (mm)	0.0	Built-in hole width (in)	0.0
Built-in hole depth (mm)	0.0	Built-in hole depth (in)	0.0
Package type	FORM PALLET	Package height (in)	42.1/2
Package height (mm)	1080	Package width (in)	43.9/24
Package width (mm)	1106	Package depth (in)	28.1/8
Package depth (mm)	720	Net weight (kg)	0.0
Net weight (kg)	325.0	Gross weight (kg)	0.0
Gross weight (kg)	111.0		
Other Information			
Type of installation	INCHS	Type of population	PRO EUROPA COOKER INTERLOCK
Function indicator	CONTROL PANEL/WORKTOP	Cooking control functions	CHECK PREHEATING(CLOCK DELAY TO START-END OF COOKING,FOOD PROBE,ANALYZE BAKING)
Accessories			
Type of hob	3000RD DBL G. PREMIUM SQUARED WORKTOP	MC_DS-Power limitation	
Info of hob	SQUARED 6 GAS BURNERS WITH 2 LATERAL DUAL WORK (DIX)	Cooking zone	GAS
Special hob features	NO	Hob material	STAINLESS STEEL
Burner and burner cap	BRASS + MATT BURNER CAP + BERTAZZONI BURNER CAP	Pan support type	CAST IRON HEAVY (BERTAZZONI - CLO)
Hot accessories	CAST IRON BOWL ADAPTER /SQUARE WING CAST IRON		
Materials			
Material type	ENAMELED STAINLESS STEEL	Inner door	SQUARED 3 GLASSES
Oven door glass colour	O SHAPE PRO MATTED CORNERS	Slide panel colour	BLACK
Handle	SOFT FOLDING	Knob type	PROFESSIONAL METAL 2020
Type of lid	BRASS	Dish warmer	DRAWER BLACK
Handle type	PROFESSIONAL STAINLESS STEEL 2020	Finish	NO
Gas Tank Consumption	NO		
Label	STAINLESS STEEL Ø 6 CM TYPE A		
Performance			
No. of total cooking areas	6	No. gas burners	6
No. electric zones	0	No. of radiant areas	0
No. induction areas	0	No. dishwasher areas	0
No. Hood area	0	No. of bridge induction areas	0
Rating left area - power (kW)	0	Rating left area - power (kW)	0
Site			
Site/Center/Right			
Circular cooking zone or area-diameter surface [mm] zone left-behind	70	Circular cooking zone or area-diameter surface [mm] zone center-behind	70
Circular cooking zone or area-diameter surface [in] zone left-behind	2.76	Circular cooking zone or area-diameter surface [in] zone center-behind	2.76
Non-circular cooking zone or area-length [mm] zone left-behind	0.0	Non-circular cooking zone or area-length [mm] zone center-behind	0.0
Non-circular cooking zone or area-length [in] zone left-behind	0.0	Non-circular cooking zone or area-length [in] zone center-behind	0.0
Non-circular cooking zone or area-width [mm] zone left-behind	0.0	Non-circular cooking zone or area-width [mm] zone center-behind	0.0
Non-circular cooking zone or area-width [in] zone left-behind	0.0	Non-circular cooking zone or area-width [in] zone center-behind	0.0
Rear left area - type	GAS	Rear middle area - type	GAS
Left rear area - dimensions	70	Middle rear area - dimensions	70
Rear left area - power (W)	1750	Rear middle area - power (W)	1750
Energy consumption (Wh/Kg) zone left-behind	70	Energy consumption (Wh/Kg) zone center-behind	70
Energy efficiency per gas burners [%] zone left-behind	58	Energy efficiency per gas burners [%] zone center-behind	58
Electricity consumption left-behind		Electricity consumption center-behind	
Rear left area - power booster [W]		Rear middle area - power booster [W]	
Rear left area - double power booster [W]		Rear middle area - double power booster [W]	
Site/Center/Left			
Circular cooking zone or area-diameter surface [mm] zone left-ahead	130	Circular cooking zone or area-diameter surface [mm] zone center-ahead	70
Circular cooking zone or area-diameter surface [in] zone left-ahead	5.12	Circular cooking zone or area-diameter surface [in] zone center-ahead	2.76
Non-circular cooking zone or area-length [mm] zone left-ahead	0.0	Non-circular cooking zone or area-length [mm] zone center-ahead	0.0
Non-circular cooking zone or area-length [in] zone left-ahead	0.0	Non-circular cooking zone or area-length [in] zone center-ahead	0.0
Non-circular cooking zone or area-width [mm] zone left-ahead	0.0	Non-circular cooking zone or area-width [mm] zone center-ahead	0.0
Non-circular cooking zone or area-width [in] zone left-ahead	0.0	Non-circular cooking zone or area-width [in] zone center-ahead	0.0
Left front area - type	GAS	Middle front area - type	GAS
Left front area - dimensions	130	Middle front area - dimensions	70
Left front area - power (W)	3000	Middle front area - power (W)	1750
Energy consumption (Wh/Kg) zone left-ahead		Energy consumption (Wh/Kg) zone center-ahead	
Energy efficiency per gas burners [%] zone left-ahead	53	Energy efficiency per gas burners [%] zone center-ahead	58
Electricity consumption left-ahead		Electricity consumption center-ahead	
Total electricity consumption		Front middle area - power booster [W]	
Front left area - power booster [W]		Front middle area - double power booster [W]	
Front left area - double power booster [W]			
Other Info			
Oven cavity	3000RD DBL G. PREMIUM WELDED	Main oven type/main grill	CONVECTION ELECTRIC OVEN MULTI 9/MULTI11
Cooking modes 1	BAKE/BOTTOM BAKE/CONVECTION (ELECTRIC OVENS)/CONVECTION BAKE/DEFROSTING/FAST PREHEATING/GRILL/PROOFING/TURBO GRILL/TURBO/PIZZA FUNCTION/LPPER BAKE	Cleaning functions 1	Turbo/Pyro
Cleaning	1	Main cavity material	1 ENA
Light turning on	LATERALS GRDS		BLACK ENAMELED
Type of main oven guides	21.0	Gross volume oven [LxH]	
Gross volume oven	51.0	Net volume oven [LxH]	1.7HELICOPPER GLIDE + 1 EXTRACTION HANDLE
Net oven volume	2.94W DUTY	Main oven accessories	4 SDES
Clean grids	1 DEEP ENAMELED + 1 GRID TRAY	Oven gasket	
Other Info/Accessories			
Secondary oven type/Secondary grill	STATIC ELECTRIC OVEN	Cleaning functions 2	
Cooking modes 2	BAKE/BOTTOM BAKE/GRILL/PROOFING/LPPER BAKE		
Secondary oven cleaning	NO	Secondary oven light turning on	1
Secondary oven turnpelt	TURNSIGHT		

Matériau de la cavité du four secondaire	BLACK ENAMELED	Type of secondary oven guide	LATERALS GROSS
Gross volume secondary oven	52.0	Gross volume secondary oven [cu.ft]	
Net volume secondary oven	43.0	Net volume secondary oven [cu.ft]	
Grids of the secondary oven	3 HEAVY DUTY 4 LIGHTS	Secondary oven accessories	1 TELESCOPIC GUIDE 1 DEEP ENAMELED
Over grill 2		Over grill tray 2	
Third Oven			
Third oven type/Third Grill	NO	Cooking modes 3	
Type of third oven guides	NO	Grids of the third oven	NO
Gross volume third oven	0.0	Gross volume third oven [cu.ft]	
Net volume third oven	0.0	Net volume third oven [cu.ft]	
Third oven accessories	NO	Over grill tray 3	NO
Safety device			
Hot ignition	NO/NOT TOP ONE HAND	Hot flame failure device	WORKTOP
Cooling fan	NO	Amb-185	YES + CHAIN
No. residual heat indicators	NO	Knob deflector	NO
Dimensions			
BankM4 languages	ENGLISH/FRENCH/ITALIAN	Warranty certificate	NO
Actual energy consumption - AllCheat (kWh/year/min)		Energy efficiency class	
Fluid dynamic efficiency class		Lighting efficiency class	
Power consumption of mode - P4 (W)		Power consumption in standby mode - P4 (W)	
Ceiling filtering efficiency - GF2hood (%)		Light efficiency - LEDhood Lux/Watt)	
Odor reduction factor of (%)		Fluid dynamic efficiency - F2Dhood (%)	
Minimum air flow in normal use (Intensive / Boost excluded) (m³/h)		Minimum air flow in normal use (m³/h)	
Average illumination of the lighting system on the cooking surface - Emiddle (Lux)		Energy efficiency index - E2Dhood (%)	
Max air flow (m³/h)		ICE extraction (m³/h)	
Output air extraction (m³/h)		Measured electric power input at best efficiency point - Wbep (W)	
Sound power level at Intensive/Boost setting - (dB(A) re 1Pa)		Sound power level at minimum speed available in normal use (dB(A) re 1Pa)	
Fan power [W]		Measured air pressure at best efficiency point - Pbeq (Pa)	
Type of hood		Hood control	
Filter type		Hood accessories	
Special features hoods		Child lock	
			Ceiling filtering efficiency class
			Air flow at Intensive/Boost setting - (m³/h)
			Increase factor
			Measured air flow rate at best efficiency point - Cbeq (m³/h)
			Nominal power consumption of the lighting system - W4 (W)
			Sound power level at maximum speed available in normal use - (dB(A) re 1Pa)
			Sound level maximum speed (dB(A)
			Speed