

Type	Technical Code	Commercial Code	Code
Code	AKRKR4M400	PRO23022ENIT	PG4439
<b>General Information</b>			
State	Underline/see	Life Cycle	Y2 - Oh Management
Product family	COOKERS 1200W CM DOUBLE	Aesthetic line	PROFESSIONAL
Brand	BERAZZONI	Private label	BERAZZONI
Make or Buy Flag	Make	Type of production	CMU
Type of installation	FREE STANDING	Factory	Giardinò
Technical code	AKRKR4M400	Predecessor Code	AKRKR4S400
Commercial description	PRO23022ENIT - Professional FS Cookers - Black	Short Description FR	PRO23022ENIT - Professional FS Cookers - Black
Short Description IT	PRO23022ENIT - Professional FS Cookers - Black	Short Description US	PRO23022ENIT - Professional FS Cookers - Black
Short Description EN	PRO23022ENIT - Professional FS Cookers - Black	Key code	805930488321
LOA Required	YES	Second commercial code	PRO23022ENIT
Commercial code	FRANCE/GREAT BRITAIN/ITALY	Customer	GENEKID
Market		Approvals	CEURKA
Year of warranty	2	8P Certification	0
2P Certification	0	MOQ of purchase	0
Leadtime	0	MOQ of selling	0
Continuing training		Notes	
Change notes	79111110		
<b>Energy Label</b>			
Energy label Required	YES	Number of cavities	2
Energy class CO	A	Open program used to determine energy class	FEV.PCK
Natural conversion energy consumption (kWh)	0.86	Forced conversion energy consumption (kWh)	0.74
Main oven net capacity (l)	58	Open typology energy label	MEDUM35+ VOLUME + 65L
Required cooking time for normal load (min)	A		
Secondary oven energy class CO	A	Open program used to determine energy class of secondary oven	FEV.PCK
Natural conversion energy consumption secondary oven(kWh)	0.86	Forced conversion energy consumption secondary oven(kWh)	0.74
Secondary oven net capacity (l)	58	Open typology energy label secondary oven	MEDUM35+ VOLUME + 65L
Required cooking time for normal load secondary oven(min)	58		
Heat source	ELECTRIC	EEI [%]energy efficiency index	93.7
Energy consumption in conventional mode (electric final energy)(kWh/Cycle)	0.86	Energy consumption in fan forced mode(electric final energy)(kWh/Cycle)	0.74
Energy consumption in conventional mode(gas final energy)(MJ/Cycle)	0.0	Energy consumption in fan forced mode(gas final energy)(MJ/Cycle)	0.0
Energy consumption in conventional mode (gas final energy)(kWh/Cycle)	0.0	Energy consumption in fan forced mode (gas final energy)(kWh/Cycle)	0.0
Heat source secondary oven	ELECTRIC	EEI [%]energy efficiency index secondary oven	93.7
Energy consumption in conventional mode secondary oven (electric final energy)(kWh/Cycle)	0.86	Energy consumption in fan forced mode secondary oven (electric final energy)(kWh/Cycle)	0.74
Energy consumption in conventional mode secondary oven (gas final energy)(MJ/Cycle)	0.0	Energy consumption in fan forced mode secondary oven (gas final energy)(MJ/Cycle)	0.0
Energy consumption in conventional mode secondary oven (gas final energy)(kWh/Cycle)	0.0	Energy consumption in fan forced mode secondary oven (gas final energy)(kWh/Cycle)	0.0
Heat source third oven	ELECTRIC	EEI [%]energy efficiency index third oven	93.7
Energy consumption in conventional mode third oven (electric final energy)(kWh/Cycle)	0.0	Energy consumption in fan forced mode third oven (electric final energy)(kWh/Cycle)	0.0
Energy consumption in conventional mode third oven (gas final energy)(MJ/Cycle)	0.0	Energy consumption in fan forced mode third oven (gas final energy)(MJ/Cycle)	0.0
Energy consumption in conventional mode third oven (gas final energy)(kWh/Cycle)	0.0	Energy consumption in fan forced mode third oven (gas final energy)(kWh/Cycle)	0.0
Conversion oven consumption	FEV.PCK	Fan-assisted oven consumption	FEV.PCK
Conversion secondary oven consumption	FEV.PCK	Fan-assisted secondary oven consumption	FEV.PCK
Main oven grilling tray surface	1190	Secondary oven grilling tray surface	1190
Hot energy efficiency	57	heating technology	GAS/ELECTRIC
Energy Label Country	US / UK		
<b>Technical Data</b>			
Supply voltage [V]/Supply frequency [Hz]	220-240V/7/380-415V/50~60Hz; collauda monofase	Absorbed power [W]	6000
(Alternative) Supply voltage [V]/Supply frequency [Hz]	NO	(Alternative) Absorbed power [W]	614
Absorbed current [A]	27	Gas power [kW]	14.25
Plug type	NO	Minimum Cable length [m]	71"
Minimum Cable length [m]	1.8		
Gas type	G20/ZIMBAR - NATURAL GAS	Alternative gas	NO
Alternative gas	G20/ZIMBAR OR G11.2L - ZIMBAR OR G11.7/IMBAR - GPL	Secondary oven gas power [W]	2500.0
Gas connections	G20/ZIMBAR OR G11.2L - ZIMBAR OR G11.7/IMBAR - GPL	Secondary grill gas power [W]	2400.0
Main oven max power [W]	2000.0		
Main grill max power [W]	2400.0		
<b>Dimensions</b>			
Height FF (mm)	893.013	Height PF (in)	35.157
Width FF (mm)	1200	Width PF (in)	47.244
Depth FF (mm)	600	Depth with handle (in)	23.622
Depth with handle (mm)	658	Depth with open door (in)	23.622
Depth with open door (mm)	1010	Built-in hole height (in)	23.622
Built-in hole height (mm)		Built-in hole width (in)	23.622
Built-in hole width (mm)		Built-in hole depth (in)	23.622
Built-in hole depth (mm)			
Package type	FORM PALLET	Package height (in)	42.1/2
Package height (mm)	1080	Package width (in)	51.7/24
Package depth (mm)	1306	Package depth (in)	28.1/8
Package depth (in)	720	Net weight (Lb)	0.0
Net weight (kg)	142.7	Gross weight (Lb)	0.0
Gross weight (kg)	170.0		
<b>Other features</b>			
Type of regulation	INCHES	Type of regulation	PRO EUROPA COOKER INTERLOCK
Function indicator	CONTROL PANEL/WORKTOP	Cooking control functions	CHECK PREHEATING/LOCK/DELAY TO START-END OF COOKING/FOOD PROBE/ANALYZE BANNER
<b>Electronics</b>			
Type of hob	1200W DBL G. PREMIUM SQUARED WORKTOP	MC_DS-Power limitation	
Info of hob	SQUARED 6 GAS BURNERS WITH LATERAL DUAL WOK + ELEC. GRID/ICE	Cooking zone	MIXED GAS-ELECTRIC
Special hob features	NO	Hob material	STAINLESS STEEL
Burner and burner cap	BRASS + MATT BURNER CAP + BRIZZAZIONI BURNER CAP	Pan support type	CAST IRON HEAVY (BERAZZONI - CLO)
Hob accessories	CAST IRON BURNER ADAPTER/SMART WING CAST IRON		
<b>Materials</b>			
Material type	EN60050 STAINLESS STEEL	Inner door	SQUARED 3 GLASSES
Oven door glass colour	O SHAPE PRO MATTED CORNERS	Slide panel colour	BLACK
Handle	SOFT ECLDING	Knob type	PROFESSIONAL METAL 2020
Type of lid	BRASS	Dish warmer	DRAWER BLACK
Handle type	PROFESSIONAL STAINLESS STEEL 2020	Finish	NO
Gas Tank Consumption	NO		
Info	STAINLESS STEEL Ø 6 CM TYPE A		
<b>Performance</b>			
No. of total cooking areas	7	No. gas burners	6
No. electric zones	0	No. of radiant areas	0
No. induction areas	0	No. dishwasher areas	0
No. Hood area		No. of bridge induction areas	
Rating left area - power (W)		Rating left area - power (W)	
Rating right area - power (W)		Rating right area - power (W)	
<b>Performance - Left Side</b>			
Circular cooking zone or area-diameter surface [mm] zone left-behind	70	Circular cooking zone or area-diameter surface [mm] zone center-behind	70
Circular cooking zone or area-diameter surface [mm] zone left-ahead		Circular cooking zone or area-diameter surface [mm] zone center-ahead	
Non-circular cooking zone or area-length [mm] zone left-behind	0.0	Non-circular cooking zone or area-length [mm] zone center-behind	0.0
Non-circular cooking zone or area-length [mm] zone left-ahead		Non-circular cooking zone or area-length [mm] zone center-ahead	
Non-circular cooking zone or area-width [mm] zone left-behind	0.0	Non-circular cooking zone or area-width [mm] zone center-behind	0.0
Non-circular cooking zone or area-width [mm] zone left-ahead		Non-circular cooking zone or area-width [mm] zone center-ahead	
Left front area - type	GAS	Rear middle area - type	GAS
Left front area - dimensions	70	Middle rear area - dimensions	70
Rear left area - power (W)	1750	Rear middle area - power (W)	1750
Energy consumption (Wh/Kg) zone left-behind	70	Energy consumption (Wh/Kg) zone center-behind	70
Energy efficiency per gas burners [%] zone left-behind	58	Energy efficiency per gas burners [%] zone center-behind	58
Electricity consumption left-behind		Electricity consumption center-behind	
Rear left area - power booster [W]		Rear middle area - power booster [W]	
Rear left area - double power booster [W]		Rear middle area - double power booster [W]	
<b>Performance - Right Side</b>			
Circular cooking zone or area-diameter surface [mm] zone right-behind	70	Circular cooking zone or area-diameter surface [mm] zone right-ahead	70
Circular cooking zone or area-diameter surface [mm] zone right-ahead		Circular cooking zone or area-diameter surface [mm] zone left-behind	
Non-circular cooking zone or area-length [mm] zone right-behind	0.0	Non-circular cooking zone or area-length [mm] zone right-ahead	0.0
Non-circular cooking zone or area-length [mm] zone right-ahead		Non-circular cooking zone or area-length [mm] zone left-ahead	
Non-circular cooking zone or area-width [mm] zone right-behind	0.0	Non-circular cooking zone or area-width [mm] zone right-ahead	0.0
Non-circular cooking zone or area-width [mm] zone right-ahead		Non-circular cooking zone or area-width [mm] zone left-ahead	
Right front area - type	GAS	Right front area - type	GAS
Right front area - dimensions	70	Right front area - dimensions	70
Right rear area - power (W)	1750	Right rear area - power (W)	1750
Energy consumption (Wh/Kg) zone right-behind	70	Energy consumption (Wh/Kg) zone right-ahead	70
Energy efficiency per gas burners [%] zone right-behind	58	Energy efficiency per gas burners [%] zone right-ahead	58
Electricity consumption right-behind		Electricity consumption right-ahead	
Rear right area - power booster [W]		Rear right area - power booster [W]	
Rear right area - double power booster [W]		Rear right area - double power booster [W]	
<b>Performance - Front</b>			
Circular cooking zone or area-diameter surface [mm] zone left-ahead	130	Circular cooking zone or area-diameter surface [mm] zone center-ahead	70
Circular cooking zone or area-diameter surface [mm] zone left-behind		Circular cooking zone or area-diameter surface [mm] zone center-behind	
Non-circular cooking zone or area-length [mm] zone left-ahead	0.0	Non-circular cooking zone or area-length [mm] zone center-ahead	0.0
Non-circular cooking zone or area-length [mm] zone left-behind		Non-circular cooking zone or area-length [mm] zone center-behind	
Non-circular cooking zone or area-width [mm] zone left-ahead	0.0	Non-circular cooking zone or area-width [mm] zone center-ahead	0.0
Non-circular cooking zone or area-width [mm] zone left-behind		Non-circular cooking zone or area-width [mm] zone center-behind	
Left front area - type	GAS	Middle front area - type	GAS
Left front area - dimensions	130	Middle front area - dimensions	70
Left front area - power (W)	3000	Middle front area - power (W)	1750
Energy consumption (Wh/Kg) zone left-ahead		Energy consumption (Wh/Kg) zone center-ahead	
Energy efficiency per gas burners [%] zone left-ahead	53	Energy efficiency per gas burners [%] zone center-ahead	58
Electricity consumption left-ahead		Electricity consumption center-ahead	
Total electricity consumption		Front middle area - power booster [W]	
Front left area - power booster [W]		Front middle area - double power booster [W]	
Front left area - double power booster [W]			
<b>Performance - Back</b>			
Open cavity	1200W DBL G. PREMIUM WELDED	Main oven type/main grill	CONVECTION ELECTRIC OVEN MULTI 9/MULTI11
<b>Cooking modes</b>			
Cooking mode 1	BAKE/BOTTOM BAKE/CONVECTION (ELECTRIC OVENS)/CONVECTION BAKE/DEFROSTING/FAST PREHEATING/GRILL/PROOFING/TURBO GRILL/TURBO/PIZZA/FUNCTION UPPER BAKE	Cleaning functions 1	Turbo/Pyro
Cleaning	1	Main cavity material	2 PANES BLACK ENAMELED
Light turning on	LATERALS GRDS	Gross volume oven [Lb Ft]	71.0
Type of main oven guides	71.0	Net volume oven [Lb Ft]	51.0
Gross volume oven	71.0	Main oven accessories	1 THERMO-COOKER + 1 EXTRACTION HANDLE
Net oven volume	51.0	Oven gadget	4 SIZES
Clean grids	2 THERMO-COOKER + 1 GRILL TRAY		
Oven grill tray	1 DEEP ENAMELED + 1 GRID TRAY		
<b>Performance - Cleaning</b>			
Secondary oven type/Secondary grill	CONVECTION ELECTRIC OVEN MULTI 9/MULTI11	Cleaning function 2	
Cooking mode 2	BAKE/BOTTOM BAKE/CONVECTION (ELECTRIC OVENS)/CONVECTION BAKE/DEFROSTING/FAST PREHEATING/GRILL/PROOFING/TURBO GRILL/TURBO/PIZZA/FUNCTION UPPER BAKE		
Secondary oven cleaning	NO		
Secondary oven turnpelt	1 FAN	Secondary oven light turning on	1

Matériau de la cavité du four secondaire	BLACK ENAMELED	Type of secondary oven guide	LATERALS GROSS
Gross volume secondary oven	71.0	Gross volume secondary oven [cu.ft]	71.0
Net volume secondary oven	51.0	Net volume secondary oven [cu.ft]	
Gids of the secondary oven	2 HONEY BUTY	Secondary oven accessories	1 TELESCOPIC GUIDE
Coat grid 2	4 SIDES	Coat grid tray 2	1 DEEP ENAMELED + 1 GRID TRAY
<b>Third Oven</b>			
Third oven type/Third Grill	NO	Cooking modes 3	
Type of third oven guides	NO	Gids of the third oven	NO
Gross volume third oven	0.0	Gross volume third oven [cu.ft]	
Net volume third oven	0.0	Net volume third oven [cu.ft]	
Third oven accessories	NO	Coat grid tray 3	NO
<b>Safety device</b>			
Hot ignition	NO/NOT TOP ONE HAND	Hot flame failure device	WORKTOP
Cooling fan	NO	Anti-tilt	YES + CHAIN
No. residual heat indicators	NO	Knob deflector	NO
<b>Dimension</b>			
Bank&M languages	ENGLISH/FRENCH/ITALIAN	Warranty certificate	NO
Actual energy consumption - AllChood (kWh/annum)		Energy efficiency class	
Fluid dynamic efficiency class		Lighting efficiency class	
Power consumption of mode - Pn (W)		Power consumption in standby mode - Pn (W)	
Cause filtering efficiency - GFChood (%)		Light efficiency - LEDhood Lux/Watt)	
Odor reduction factor of (%)		Fluid dynamic efficiency - FDFChood (%)	
Minimum air flow in normal use (Intensive / Boost excluded) (m³/h)		Minimum air flow in normal use (m³/h)	
Average illumination of the lighting system on the cooking surface - Emiddle (Lux)		Energy efficiency index - EEFChood (%)	
Max air flow (m³/h)		ICE extraction (m³/h)	
Output air extraction (m³/h)		Measured electric power input at best efficiency point - Wbep (W)	
Sound power level at Intensive/Boost setting - (dB(A) re 1Pa)		Sound power level at minimum speed available in normal use (dB(A) re 1Pa)	
Fan power [W]		Measured air pressure at best efficiency point - Pbeq (Pa)	
Type of hood		Hood control	
Filter type		Hood accessories	
Special features hoods		Child lock	
		Crosses filtering efficiency class	
		Air flow at Intensive/Boost setting - (m³/h)	
		Increase factor	
		Measured air flow rate at best efficiency point - Cbeq (m³/h)	
		Nominal power consumption of the lighting system - Wl (W)	
		Sound power level at maximum speed available in normal use - (dB(A) re 1Pa)	
		Sound level maximum speed (dB(A)	
		Speed	